

# SAFETY DATA SHEET

## **SECTION 1 - IDENTIFICATION**

#### **Product Identification:**

Hydrocodone Bitartrate and Homatropine Methylbromide, 5 mg/1.5 mg (CII), Tablets, 30 count, Bottle	NDC 64950-205-03
Hydrocodone Bitartrate and Homatropine Methylbromide, 5 mg/1.5 mg (CII), Tablets, 100 count, Bottle	NDC 64950-205-10

**Product Name:** HYCODAN® CII Tablets

Recommended use: HYCODAN® CII is a combination of Hydrocodone, an opioid agonist; and

Homatropine, a muscarinic antagonist, indicated for the symptomatic relief of cough in patients 18 years of age and older. Homatropine is a drug that works against the narcotic Hydrocodone to prevent an overdose of this medication.

**Restrictions:** HYCODAN® is contraindicated for patients who are sensitive to Hydrocodone or

Homatropine, or children younger than 6 years of age. HYCODAN® exposes patients and other users to the risks of opioid addiction, abuse, and misuse, which can lead to overdose and death. Do not use except as prescribed. HYCODAN®

is not recommended for use in pregnant women or during breastfeeding.

Manufacturer Name: Genus Lifesciences.

Manufacturer Address: 514 N. 12<sup>th</sup> Street

Allentown, PA 18102

**Fax number:** (610) 782-9781

**Emergency telephone number:** (610) 782-9780 ext.\*100

## **SECTION 2 – HAZARD (S) IDENTIFICATION**

## **Classification (GHS):**

The product HYCODAN® is a non-hazardous pharmaceutical mixture and do not meet OSHA's Hazard Communication Standard (HCS) 2012, 29CFR 1910.1200 and OSHA's Globally Harmonized System (GHS) hazard criteria. As per OSHA section 1910.1200(b)(6)(vii), "Any drug, as that term is defined in the Federal Food, Drug, and Cosmetic Act (21 U.S.C. 301 et seq.), when it is in solid, final form for direct administration to the patient; drugs which are packaged by the chemical manufacturer for sale to consumers in a retail establishment" are exempt. The GHS hazards listed below are for the product active ingredient, Hydrocodone Bitartrate, and not for the tablet product itself.

Physical hazards: Not classified

SDS Material Name: Hycodan CII Review Date: Apr/21/21 Page 1 of 10



Health hazards: Acute Oral Toxicity Category 2

Cardiovascular System and Central Nervous System category 3

Narcotic Effects

Environmental hazards: Not classified

**Signal Word:** Warning

Hazard Statement: HYCODAN® active ingredient, Hydrocodone, is a stimulant and a narcotic. The

product has a high potential for abuse and dependence. It may be harmful. Accidental ingestion of large amounts may be fatal. May be habit forming. Tolerance may develop upon repeated administration. It should be prescribed and

administered with the same degree of caution of other narcotic drugs.

Pictogram:

**Precautionary Statement:** Generally safe at recommended doses. Because of the risks of addiction, abuse,

and misuse with opioids, reserves HYCODAN® for use in adult patients for whom the benefits of cough suppression are expected to outweigh the risks. Seek

medical attention in case of accidental exposure or overdose.

Hazards Not Otherwise Classified: Common effects may include somnolence, mental clouding, lightheadedness,

dizziness, headache, dry mouth, nausea, vomiting, and constipation.

## SECTION 3 – COMPOSITION / INFORMATION OF INGREDIENTS

Chemical Identity	Other Names	CAS Number
Colloidal Silicon Dioxide NF	Cab-O-Sil® M-5P	7631-86
Dibasic Calcium Phosphate Dihydrate, USP	Emcompress <sup>®</sup>	7789-77-7
Homatropine Methylbromide, USP (Active Ingredient)	Methylhomatropine	80-49-9
Hydrocodone Bitartrate, USP (Active Ingredient)	Hydrocodone Acid Tartrate	34195-34-1
Lactose Monohydrate, NF Spray Dried	SuperTab® 11SD	10039-26-6
Magnesium Stearate, NF	Magnesium Distearate	557-04-0
Pregelatinized Starch, NF	Starch 1500®	9005-25-8
Stearic Acid, NF	Hystrene® 5016 NF	57-11-4

<sup>\*</sup> Chemical exact percentage (concentration) of composition has been withheld as a trade secret.

SDS Material Name: Hycodan CII Review Date: Apr/21/21 Page 2 of 10



## **SECTION 4 – FIRST AID MEASURES**

**Eve Contact:** Should not pose a hazard. If needed, flush with water while holding eyelids open for at least 15

minutes. Remove contact lenses if worn. Seek medical attention.

**Skin Contact:** Should not pose a hazard. If needed, wash with soap and large amount of water. Seek medical

attention.

**Ingestion:** If an overdose occurs, taken not as prescribed, or an accidental ingestion of large amounts occurs,

call a physician or a Poison Control Center (1-800-222-1222) immediately.

**Inhalation:** Should not pose a hazard. If breathing is difficult, move to fresh air and seek medical attention

immediately.

Symptoms or effects: The most commonly reported adverse reactions include: sedation (somnolence, mental clouding,

and lethargy), impaired mental and physical performance, lightheadedness, dizziness, headache, dry mouth, nausea, vomiting, and constipation. Physical dependence is a state that develops as a result of physiological adaptation in response to repeated drug use, manifested by withdrawal

signs and symptoms after abrupt discontinuation or a significant dose reduction of a drug.

Recommendations: Immediate medical attention is required if overdose is suspected. Always use an accurate

milliliter measuring device when measuring and administering HYCODAN®. A household teaspoon is not an accurate measuring device and such use could lead to overdose and serious

adverse reactions.

**Note to Physician:** Advise patients not to increase the dose or dosing frequency of HYCODAN® because serious

adverse events such as respiratory depression may occur with overdose. Monitor patients closely for respiratory depression, especially within the first 24-72 hours of initiating therapy. Prescribe HYCODAN® for the shortest duration that is consistent with individual patient treatment goals. Do not abruptly discontinue HYCODAN® in a physically-dependent patient. Instruct patients not to consume alcoholic beverages or use prescription or nonprescription products containing

alcohol while on HYCODAN® therapy.

## **SECTION 5 – FIREFIGHTING MEASURES**

**Extinguishing media:** Use carbon dioxide, dry chemical, water spay, foam, or any material

appropriate for fire in the surrounding area.

**Specific hazards arising from the mixture:** Formation of toxic gases is possible during fire. (Refer to Section 10)

SDS Material Name: Hycodan CII Review Date: Apr/21/21 Page 3 of 10



Advice to the firefighters: Wear self-contained breathing apparatus for the firefighting and full

protective clothing.

## SECTION 6 – ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Clean the spill if is safe to do so. Minimize exposure.

**Protective Equipment:** Use containment equipment to prevent access to drains and sewer, such as spill

blockers, and drain covers. Refer to section 8 for Personal Protective Equipment.

Emergency procedures: Evacuate the area and keep unauthorized personnel away. Prevent further

spillage if safe to do so.

**Containment Precautions**: Prevent material from flush/entering sewer, or public waters. For spills on water,

contain and collect. Isolate area around spill as specified by site procedures.

Clean Up Procedures: Collect spill with broom and scoop, and place it in a clearly labeled compatible

container for waste. Decontaminate the area with water. Notify the manager in charge of DEA affairs to inform the spill and for instructions on how to dispose

the material as a controlled substances waste.

#### **SECTION 7 – HANDLING AND STORAGE**

**Precaution for safe handling:** Observe safe industrial practices. Avoid contact with eyes, skin, and clothing.

Do not taste or swallow. Wash hands thoroughly after handling. Wear protective

clothing when handling large quantities.

Conditions for safe storage: Store in the original container with child resistant closure tightly secured at

controlled room temperature of 20°C to 25°C (68° to 77°F). Keep out of reach of children. For more information, follow as directed in product packaging.

Location of storage must comply with DEA regulations.

#### SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Exposure Limits:**

There is no exposure limits for the tablet product. The exposure limits listed below are for the active ingredient Hydrocodone and not for the tablet product itself.

SDS Material Name: Hycodan CII Review Date: Apr/21/21 Page 4 of 10



OSHA Permissible Exposure Limits (PELs):

None

Occupational Exposure Limit (OEL's): 15 μg/m<sup>3</sup>

Acceptable Daily Exposure (ADE): 70 μg/day

5-Band System Exposure Classification: Category 3 – High Risk

ACGIH Threshold Limit Values (TLVs):

Short Term Exposure Limits (STEL) – 15 min: 100 mg/m<sup>3</sup>

Time Weight Average (TWA) - 8 Hours: 33 mg/m<sup>3</sup>

NIOSH Immediately Dangerous to Life or Health (IDLH): None

**Engineering Controls:** Good ventilation should be use. Ventilation should be matched to conditions.

#### **Personal Protective Measures:**

Respiratory protection: Not required under normal conditions of use.

Eye protection: Not required under normal conditions of use.

Protective gloves: Chemical compatible when needed.

Skin and body protection: Not required under normal conditions of use.

Hygiene measures: Always observe good personal hygiene measures, such as washing after handling

the material and before eating, drinking, and/or smoking.

Other personal protection: None required

## **SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

## **Physical Properties:**

Appearance: Round tablet Odor: Not Applicable

Density: Not Available Boiling Point: Not Applicable

Melting Point: Not Applicable Solubility: Water

Viscosity: Not Applicable Specific Gravity: Not Applicable

Evaporation Rate: Not Applicable Conductivity: Not Applicable

SDS Material Name: Hycodan CII Review Date: Apr/21/21 Page 5 of 10



pH: Between 2.5 and 5.0 Flash Point: Not Available

Reactivity: Refer to section 10 Toxicity: Refer to section 11

## **SECTION 10 – STABILITY AND REACTIVITY**

**Reactivity:** None expected under normal conditions of use.

**Chemical stability:** Stable under normal conditions of use.

Other:

Conditions to avoid: Excessive cold, freezing.

Incompatible materials: As a precautionary measure, keep away from strong oxidizers.

Hazardous decomposition products: None known

#### SECTION 11 – TOXICOLOGICAL INFORMATION

**Routes of exposure:** Oral, Ingestion

#### Delayed, immediate and chronic effects for short and long term exposure:

General effects: Have a high potential for abuse, misuse, and dependence. It may cause

nervous system disorders. Acute overdose with Hydrocodone is characterized by respiratory depression, extreme somnolence progressing to stupor or coma, skeletal muscle flaccidity, cold and clammy skin, constricted pupils, and, in some cases, pulmonary edema, partial or complete airway obstruction, atypical snoring, hypotension, circulatory

collapse, cardiac arrest, and death.

Sensitization: Contact with the skin may cause irritation.

Mutagenic effects: Mutagenicity studies have not been conducted with HYCODAN®;

however, published information is available for the individual active

ingredients or related active ingredients.

Reproductive toxicity: Fertility and reproductive studies have not been conducted with

HYCODAN®; however, published information is available for the

individual active ingredients or related active ingredients.

SDS Material Name: Hycodan CII Review Date: Apr/21/21 Page 6 of 10



Fetotoxic / Teratogenic Effects: There are no available data with HYCODAN® use in pregnant women to

inform a drug-associated risk for adverse developmental outcomes. Prolonged use of opioid analgesics during pregnancy for medical or nonmedical purposes can result in physical dependence in the neonate

and neonatal opioid withdrawal syndrome shortly after birth.

Specific target organ toxicity (STOT):

Single exposure: No data available

Repeated exposure: No data available

Toxicity (LD<sub>50</sub>):

Toxicity studies have not been conducted with HYCODAN®. The toxicity information listed below is for the active ingredient Hydrocodone Bitartrate and not for the tablet product itself.

Oral LD<sub>50</sub> Rat: 375 mg/kg Subcutaneous LD<sub>50</sub> Rat: 150 mg/kg

Subcutaneous LD<sub>50</sub> Mouse: 86 mg/kg

Symptoms / Adverse Reactions: The most common adverse reactions are Somnolence, mental clouding,

impairment of mental and physical performance, dizziness, nervousness, visual disturbances, confusion, headache, lightheadedness, dry mouth, and nausea. Have

a high potential for abuse and dependence.

Carcinogenicity: Carcinogenicity studies have not been conducted with HYCODAN®; however,

published information is available for the individual active ingredients or related

active ingredients. Not listed as a carcinogen by OSHA.

**SECTION 12 – ECOLOGICAL INFORMATION** 

**Ecotoxicity (Toxicity effects):** No information is currently available on the environmental impact. All releases

to terrestrial, atmospheric, and aquatic environments should be avoided.

**Persistence and Degradability:** No data available

**Bioaccumulation:** No data available

**Leaching studies:** Not Available

SDS Material Name: Hycodan CII Review Date: Apr/21/21 Page 7 of 10



Other adverse effects: The product is not classified as environmentally hazardous. An environmental

hazard cannot be excluded in the event of unprofessional handling or disposal.

## **SECTION 13 – DISPOSAL INFORMATION**

**Disposal Containers:** Dispose used or contaminated containers in accordance the DEA guidelines.

Waste Disposal Methods: Dispose in accordance with the DEA requirements.

**Special Precautions:** Discard away from children's reach. Releases to the sewer and the environment

should be avoided.

#### **SECTION 14 – TRANSPORT INFORMATION**

#### **USDOT - Department of Transportation:**

This product is classified as not hazardous and authorized as exempt, therefore is not subject to regulations for the safe transport of hazardous chemicals under USDOT.

## ICAO - International Civil Aviation Organization:

This product is classified as not hazardous and authorized as exempt, therefore is not subject to regulations for the safe transport of hazardous chemicals under ICAO.

## IATA - International Air Transport Association:

This product is classified as not hazardous and authorized as exempt, therefore is not subject to regulations for the safe transport of hazardous chemicals under IATA.

## IMDG/IMO - International Maritime Dangerous Goods / International Maritime Organization:

This product is classified as not hazardous and authorized as exempt, therefore is not subject to regulations for the safe transport of hazardous chemicals under IMDG/IMO.

**Special Precautions:** None Known

SDS Material Name: Hycodan CII Review Date: Apr/21/21 Page 8 of 10



## **SECTION 15 – REGULATORY INFORMATION**

Food and Drug Administration (FDA): Approved prescription medication

**Drug Enforcement Administration (DEA):**Listed as Controlled Substances (CII)

SARA 302/304 Extreme Hazardous Substances (EHS): Not Applicable

SARA 311/312 Hazard Categories: Not Applicable

SARA 313 Toxic Chemical Release Inventory (TRI): Not Applicable

**Resource Conservation and Recovery Act (RCRA):**No Code Applicable

## Clean Water Act (CWA):

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

## Clean Air Act (CAA):

This product does not contain any chemicals listed under Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

## **Environmental Response Compensation and Liability Act (CERCLA):**

Not applicable for the product. This product, as supplied, do not contains substances regulated as hazardous substances under CERCLA (40 CFR 302). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

## **Toxic Substances Control Act (TSCA):**

Not applicable for the product. The following product ingredients are included on the TSCA inventory 8(b):

Ingredient	CAS No
Colloidal Silicon Dioxide NF	7631-86
Magnesium Stearate, NF	557-04-0
Homatropine Methylbromide	80-49-9
Pregelatinized Starch, NF	9005-25-8
Stearic Acid, NF	57-11-4

SDS Material Name: Hycodan CII Review Date: Apr/21/21 Page 9 of 10



There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

## **SECTION 16 – OTHER INFORMATION**

See current package insert for further information.

SDS prepared by Genus Lifesciences

Creation Date: June/02/21, New SDS

Revision Date: June/02/21

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

Genus Lifesciences, Incorporated, believes that the information contained herein is based on the best available data at the date of preparation. However, no warranty is expressed or implied regarding the data's accuracy and completeness. Since the use of this information and the conditions of use of this material are not within the control of Genus Lifesciences, it is the user's obligation to determine the conditions of safe use of this material.

SDS Material Name: Hycodan CII Review Date: Apr/21/21 Page 10 of 10

## **Signature Manifest**

**Document Number:** WP-0386 **Revision:** 1

Title: SDS Hydrocodone Bitartrate and Homatropine Methylbromide Tablets - 64950

Effective Date: 15 Jun 2021

All dates and times are in Eastern Time.

# SDS Hydrocodone Bitartrate and Homatropine Methylbromide Tablets - 64950

# **Department Approval**

Name/Signature	Title	Date	Meaning/Reason
July Ortiz (JORTIZ)		09 Jun 2021, 08:43:48 AM	Approved

# **Regulatory Affairs Approval**

Name/Signature	Title	Date	Meaning/Reason
Demeitrius Sawickij (DSAWICKIJ	)	15 Jun 2021, 09:49:35 AM	Approved

# **Quality Assurance Approval**

Name/Signature	Title	Date	Meaning/Reason
Rama Chitirala (RCHITIRALA)	QA Director	15 Jun 2021, 10:34:11 AM	Approved