SAFETY DATA SHEET



1. Identification

Product identifier Synotic®

Other means of identification

Synonyms SYNOTIC * Synotic® Otic Solution * Fluocinolone Acetonide and Dimethyl Sulfoxide Otic Solution

Veterinary product used as anti-inflammatory (Steroid) Recommended use

Recommended restrictions Not for human use Manufacturer/Importer/Supplier/Distributor information

Zoetis Inc. Company Name (US)

10 Sylvan Way

Parsippany, New Jersey 07054 (USA)

Rocky Mountain Poison

and Drug Center

1-866-531-8896

Product Support/Technical

Services

1-800-366-5288

Emergency telephone

numbers

CHEMTREC (24 hours): 1-800-424-9300

International CHEMTREC (24 hours): +1-703-527-3887

Zoetis Belgium S.A. Company Name (EU)

> Mercuriusstraat 20 1930 Zaventem

Emergency telephone

number

International CHEMTREC (24 hours): +1-703-527-3887

VMIPSrecords@zoetis.com **Contact E-Mail**

2. Hazard(s) identification

Not classified. **Physical hazards** Health hazards Not classified. Not classified. **Environmental hazards OSHA** defined hazards Not classified.

Label elements

Hazard symbol None. None. Signal word

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Store away from incompatible materials. Storage

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information May be absorbed through the skin and cause systemic effects. May cause adverse effects on the

developing fetus. Drugs of this class may cause Cushing's syndrome, manifested by moon face, obesity, headache, acne, thirst, increased urination, impotence, menstrual irregularities, facial hair

growth, and mental changes.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Dimethyl sulfoxide		67-68-5	60
Propylene glycol		57-55-6	35-40
Citric acid, anhydrous		77-92-9	<1
Fluocinolone Acetonide		67-73-2	0.01

Composition comments

In accordance with 29 CFR 1910.1200, the exact percentage composition of this mixture has been withheld as a trade secret.

4. First-aid measures

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist. For breathing difficulties, oxygen

may be necessary.

Skin contact

May be absorbed through the skin and cause systemic effects. Wash off immediately with soap and plenty of water. Systemic effects could occur; get medical attention. Wash contaminated clothing before reuse.

Eve contact

Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses.

Get medical attention immediately.

Ingestion

Rinse mouth. Get medical advice/attention if you feel unwell. If ingestion of a large amount does occur, call a poison control center immediately. Do not induce vomiting without advice from poison control center. Never give anything by mouth to a victim who is unconscious or is having convulsions.

Most important symptoms/effects, acute and delayed

Direct contact with eyes may cause temporary irritation. Exposure may cause temporary irritation, redness, or discomfort. Mild skin irritation. Drugs of this class may cause Cushing's syndrome, manifested by moon face, obesity, headache, acne, thirst, increased urination, impotence, menstrual irregularities, facial hair growth, and mental changes. Adverse effects associated with therapeutic use include itching, burning, contact dermatitis, Irritant effects.

Indication of immediate medical attention and special treatment needed

General information

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. For personal protection, see section 8 of the SDS. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Alcohol resistant foam. Powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Fire may produce irritating, corrosive and/or toxic gases.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do so without risk.

equipment/instructions Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards Material will burn in a fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Ensure adequate ventilation. Wear appropriate protective equipment and clothing during clean-up. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Ventilate the contaminated area. Do not get in eyes, on skin, or on clothing. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Ensure adequate ventilation. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Wear personal protective equipment. Avoid contact with eyes, skin, and clothing. Avoid breathing mist or vapor. Avoid prolonged exposure. When using, do not eat, drink or smoke. Wash thoroughly after handling. Observe good industrial hygiene practices. Avoid release to the environment.

Conditions for safe storage, including any incompatibilities

Industrial use: It is recommended that all operations be fully enclosed and no air recirculated. Hygroscopic. Keep tightly closed in a dry, cool and well-ventilated place. @ 15-30°C (59-86°F). Keep away from heat, sparks and open flame. Use care in handling/storage. Keep container tightly closed. Do not allow material to freeze. Store away from incompatible materials (see Section 10 of the SDS). Keep out of the reach of children.

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. Workplace	Environmental E	xposure Level	(WEEL) Guides

Components	Туре	Value	Form	
Dimethyl sulfoxide (CAS 67-68-5)	TWA	250 ppm		
Propylene glycol (CAS 57-55-6)	TWA	10 mg/m3	Aerosol.	

Biological limit values

No biological exposure limits noted for the ingredient(s).

Control banding approach

Fluocinolone Acetonide: Zoetis OEB 5 - Skin (control exposure to <1ug/m3, provide additional precautions to protect from skin contact)

Appropriate engineering

controls

Ensure adequate ventilation, especially in confined areas. Keep air contamination levels below the exposure limits or within the OEB range listed above in this section. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain and emergency showers are recommended.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection

Wear appropriate chemical resistant gloves. Impervious, disposable gloves (double suggested) are recommended if skin contact with drug product is possible and for bulk processing operations.

Other

Avoid contact with the skin. Wear suitable protective clothing. Impervious protective clothing is recommended if skin contact with drug product is possible and for bulk processing operations.

Respiratory protection

No personal respiratory protective equipment normally required. In case of insufficient ventilation, wear suitable respiratory equipment. Whenever air contamination (mist, vapor or odor) is generated, respiratory protection is recommended as a precaution to minimize exposure. If airborne exposures are within or exceed the Occupational Exposure Band (OEB) range, wear an appropriate respirator with a protection factor sufficient to control exposures to the bottom of the OEB range. If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL.

Not applicable.

General hygiene considerations

Thermal hazards

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid.
Form Liquid.
Color Clear.
Odor Not available.

Not available. **Odor threshold** Not available. Hq Not available. Melting point/freezing point Initial boiling point and boiling Not available.

range

Flash point 201.2 °F (94.0 °C) Closed Cup

Not available. **Evaporation rate** Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Not available.

Flammability limit - lower

(%)

Flammability limit - upper

Not available.

(%)

Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%)

0.06 kPa @ 20C/68F Vapor pressure

Not available. Vapor density Relative density Not available.

Solubility(ies)

Soluble Solubility (water) Oil Solubility (other)

Not available. **Partition coefficient**

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature** Not available. Viscosity

Other information

Not explosive. **Explosive properties**

Combustible IIIB estimated Flammability class

Oxidizing properties Not oxidizing.

Specific gravity 1.07

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. **Chemical stability**

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Contact with incompatible materials. Heat, flames and sparks. Sunlight. Excessive heat. Protect Conditions to avoid

from freezing. This product may react with oxidizing agents.

Alkaline metals. Isocyanates. Acids. Alkalies. Incompatible with oxidizing agents. Incompatible materials

Hazardous decomposition

products

Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition. Thermal decomposition products may include oxides of carbon, nitrogen, and sulfur. Hydrogen fluoride.

11. Toxicological information

Information on likely routes of exposure

Under normal conditions of intended use, this material is not expected to be an inhalation hazard. Inhalation

Skin contact May be absorbed through the skin and cause systemic effects. Frequent or prolonged contact

may defat and dry the skin, leading to discomfort and dermatitis.

Fluocinolone Acetonide Severity: Moderate irritant

Species: Rabbit Citric acid, anhydrous Severity: Mild

Skin contact

Dimethyl sulfoxide Species: Rabbit

Severity: Mild

Propylene glycol Species: Rabbit

Severity: Mild

Eye contact

Direct contact with eyes may cause temporary irritation.

Dimethyl sulfoxide

Species: Rabbit Severity: Mild

Propylene glycol Species: Rabbit

Severity: Mild

Citric acid, anhydrous

Species: Rabbit

Offic acid, armydrous

Severity: Severe

Ingestion

Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation. Exposure may cause temporary irritation, redness, or discomfort. Mild skin irritation. Drugs of this class may cause Cushing's syndrome, manifested by moon face, obesity, headache, acne, thirst, increased urination, impotence, menstrual irregularities, facial hair growth, and mental changes. Adverse effects associated with therapeutic use include itching, burning, contact dermatitis, Irritant effects.

Information on toxicological effects

Acute toxicity May be absorbed through the skin and cause systemic effects.

Product Species Test Results

Synotic®

Acute

Dermal

ATE > 10000 mg/kg

Components Species Test Results

Citric acid, anhydrous (CAS 77-92-9)

Acute

Oral

LD50 Rat 3000 mg/kg

Dimethyl sulfoxide (CAS 67-68-5)

Acute

Dermal

LD50 Rat 40000 mg/kg

Inhalation

LC50 Rat > 2000 mg/m3

Oral

LD50 Rat 14500 mg/kg

Chronic

Inhalation

NOAEL Rat 2.783 mg/L, 13 weeks Respiratory system

Fluocinolone Acetonide (CAS 67-73-2)

Acute

Dermal

LD50 Rat 2.31 mg/kg

Oral

LD50 Rat > 4000 mg/kg

Material name: Synotic® SDS US

669 Version #: 01 Issue date: 05-08-2017

Components Species Test Results

Propylene glycol (CAS 57-55-6)

Acute Dermal

LD50 Rabbit 20800 mg/kg

Oral

LD50 Mouse 24900 mg/kg
Rat 22000 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Corrosivity

Fluocinolone Acetonide Species: Human

Severity: Moderate irritant

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Eye Contact
Dimethyl sulfoxio

Dimethyl sulfoxide Species: Rabbit Severity: Mild

Propylene glycol Species: Rabbit

Severity: Mild

Citric acid, anhydrous Species: Rabbit

Severity: Severe

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Skin sensitization

Dimethyl sulfoxide Species: Guinea Pig

Severity: Negative

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Mutagenicity

Fluocinolone Acetonide In Vitro Bacterial Mutagenicity (Ames)

Result: Negative

Species: Salmonella, E. coli

Dimethyl sulfoxide In Vitro Bacterial Mutagenicity (Ames)

Result: Negative Species: Salmonella

In Vitro Cytogenetics

Result: Negative

Species: Chinese Hamster Ovary (CHO) cells

Fluocinolone Acetonide In Vitro Forward Mutation Assay

Result: Negative

Species: Mouse Lymphoma

Dimethyl sulfoxide In Vivo Cytogenetics

Result: Positive Species: Rat

In Vivo Micronucleus Result: Negative Species: Mouse

Mutagenicity

Fluocinolone Acetonide In Vivo Micronucleus

Result: Negative Species: Mouse

Dimethyl sulfoxide In Vivo Sex-Linked Recessive Lethal Test

Result: Negative Species: Drosophila

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity

Due to partial or complete lack of data the classification is not possible. Repeat-dose studies in

animals have shown a potential to cause adverse effects on developing fetus.

Developmental effects

Fluocinolone Acetonide 0.13 mg/kg/day Embryo / Fetal Development, Embryotoxicity

Result: LOAEL Species: Rabbit Organ: Subcutaneous

Dimethyl sulfoxide 1000 mg/kg/day Embryo / Fetal Development, Maternal

toxicity

Result: NOAEL Species: Rat Organ: Oral

200 mg/kg/day Embryo / Fetal Development, Fetotoxicity

Result: LOAEL Species: Rat Organ: Oral

Fluocinolone Acetonide 50 ug/kg/day Embryo / Fetal Development, Embryotoxicity,

Maternal Toxicity, Teratogenic

Result: LOAEL Species: Rat

Organ: Subcutaneous

50 ug/kg/day Embryo / Fetal Development, Maternal Toxicity,

Embryotoxicity, Teratogenic

Result: LOAEL Species: Rabbit Organ: Subcutaneous

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible. This product may affect

Endocrine system. through prolonged or repeated exposure.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful. **Further information** Caution - Pharmaceutical agent.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Avoid release to the environment.

Components Species Test Results

Dimethyl sulfoxide (CAS 67-68-5)

EC50 Daphnia Magna (Water Flea) 24600 mg/L, Hours

Material name: Synotic® sps us

Species Test Results Components LC50 Lepomis macrochirus (Bluegill Sunfish) > 40000 mg/L, 96 Hours Oncorhynchus mykiss (Rainbow Trout) 33000 - 37000 mg/L, 96 Hours Aquatic Fish LC50 Rainbow trout, donaldson trout 33000 - 37000 mg/l, 96 hours (Oncorhynchus mykiss) Propylene glycol (CAS 57-55-6) Aquatic Crustacea EC50 Water flea (Daphnia magna) > 10000 mg/l, 48 hours Fish LC50 Fathead minnow (Pimephales promelas) 710 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available. No data available. Mobility in soil

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Avoid release to the environment. Do not allow this material to drain into sewers/water supplies. **Disposal instructions**

> Do not contaminate ponds, waterways or ditches with chemical or used container. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater. Dispose of contents/container

in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

None known. Hazardous waste code

Waste from residues / unused Dispose of in accordance with local regulations. Empty containers or liners may retain some products

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Not established. Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard US federal regulations

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Dimethyl sulfoxide (CAS 67-68-5)

Low priority

US state regulationsCalifornia Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material

is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Toxic Substances Control Act (TSCA) Inventory

16. Other information, including date of preparation or last revision

Issue date 05-08-2017

Version # 01

United States & Puerto Rico

Disclaimer Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while

it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time. The information in the sheet was written based on the best knowledge and experience currently

available.

Revision informationThis document has undergone significant changes and should be reviewed in its entirety.

Material name: Synotic® SDS US

No