

 Safety Data Sheet

 According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

 Revision Date: 11/12/2015
 Date of issue: 11/12/2015

SECTION 1: IDENTIFICATION

1.1. Product Identifier
Product Form: Mixture
Product Name: Dexamethasone SP Injection (Dexamethasone sodium phosphate Injection)
1.2. Intended Use of the Product
Use of the substance/mixture: Veterinary Anti-Inflammatory.
1.3. Name, Address, and Telephone of the Responsible Party
Company
Bimeda Inc.
One Tower Lane

Oakbrook Terrace Tower Oakbrook Terrace, IL 60181 T 630-928-0361

F 630-928 0362

www.bimedaus.com

1.4. Emergency Telephone Number

Emergency Number

: 519-654-8055, 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International and Maritime)

SECTION 2: HAZARDS IDENTIFICATION

SECTION 2: HAZARDS II	DENTIFICATIO	
2.1. Classification of	the Substance of	or Mixture
GHS-US classification		
Resp. Sens. 1	H334	
Skin Sens. 1	H317	
Repr. 1B	H360	
STOT SE 3	H335	
Full text of H-phrases: see s	section 16	
2.2. Label Elements		
GHS-US Labeling		
Hazard Pictograms (GHS-U	IS) :	GH507 GH508
Signal Word (GHS-US)	:	Danger
Hazard Statements (GHS-L		H317 - May cause an allergic skin reaction. H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 - May cause respiratory irritation. H360 - May damage fertility or the unborn child.
Precautionary Statements	(GHS-US) :	 P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P261 - Avoid breathing vapors, mist, or spray. P271 - Use only outdoors or in a well-ventilated area. P272 - Contaminated work clothing must not be allowed out of the workplace. P280 - Wear protective gloves, protective clothing, and eye protection. P284 - [In case of inadequate ventilation] wear respiratory protection. P302+P352 - If on skin: Wash with plenty of water. P304+P340 - If inhaled: Remove person to fresh air and keep at rest in a position comfortable for breathing. P308+P313 - If exposed or concerned: Get medical advice/attention. P312 - Call a poison center or doctor if you feel unwell. P313 - Specific treatment (see section 4 on this SDS). P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P342+P311 - If experiencing respiratory symptoms: Call a poison center or doctor. P363 - Wash contaminated clothing before reuse.

Version: 1.0

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

2.3. Other Hazards

Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

- 3.1. Substance
- Not applicable
- 3.2. Mixture

Name	Product Identifier	%	GHS-US classification
Polyethylene glycol	(CAS No) 25322-68-3	50	STOT SE 3, H335
Water	(CAS No) 7732-18-5	44.8	Not classified
Ethyl alcohol	(CAS No) 64-17-5	3.87	Flam. Liq. 2, H225 Eye Irrit. 2A, H319
Benzyl alcohol	(CAS No) 100-51-6	0.9	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:vapor), H332 Eye Irrit. 2A, H319 Aquatic Acute 2, H401
Hydrochloric acid	(CAS No) 7647-01-0	For pH adjustment only	Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 2, H401
Dexamethasone	(CAS No) 50-02-2	0.2	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Resp. Sens. 1A, H334 Skin Sens. 1A, H317 Repr. 1B, H360 STOT SE 3, H335
Propyl 4-hydroxybenzoate	(CAS No) 94-13-3	0.02	Comb. Dust Aquatic Acute 2, H401
Benzoic acid, 4-hydroxy-, methyl ester	(CAS No) 99-76-3	0.18	Comb. Dust Aquatic Chronic 3, H412

Full text of H-phrases: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

First-aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid Measures After Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

First-aid Measures After Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.

First-aid Measures After Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/Injuries: May cause respiratory irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Skin sensitization. May damage fertility. May damage the unborn child.

Symptoms/Injuries After Inhalation: Irritation of the respiratory tract and the other mucous membranes. Exposure may produce cough mucous secretions, shortness of breath, chest tightness or other symptoms indicative of an allergic/sensitization reaction.

Symptoms/Injuries After Skin Contact: May cause an allergic skin reaction.

Symptoms/Injuries After Eye Contact: May cause slight irritation to eyes.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: May damage fertility or the unborn child.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Water spray, dry chemical, foam, carbon dioxide.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not breathe vapor, mist or spray. Do not get in eyes, on skin, or on clothing.

6.1.1. For Non-emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Responders

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

6.2. Environmental Precautions

Prevent entry to sewers and public waters.

6.3. Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. **Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Heading 8. Exposure controls and personal protection. See Section 13, Disposal Considerations.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid contact with eyes, skin and clothing. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe vapor, mist, spray. Avoid contact with skin, eyes and clothing.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Products: Strong acids, strong bases, strong oxidizers.

7.3. Specific End Use(s)

Veterinary Anti-Inflammatory.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

Polyethylene glycol (25322-68-3)			
USA AIHA	WEEL TWA (mg/m³)	10 mg/m ³ (MW>200, aerosol)	
Ethyl alcohol	Ethyl alcohol (64-17-5)		
USA ACGIH	ACGIH STEL (ppm)	1000 ppm	
USA ACGIH	ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans	
USA NIOSH	NIOSH REL (TWA) (mg/m³)	1900 mg/m³	
USA NIOSH	NIOSH REL (TWA) (ppm)	1000 ppm	
USA IDLH	US IDLH (ppm)	3300 ppm (10% LEL)	
USA OSHA	OSHA PEL (TWA) (mg/m³)	1900 mg/m³	
USA OSHA	OSHA PEL (TWA) (ppm)	1000 ppm	
Benzyl alcoho	Benzyl alcohol (100-51-6)		
USA AIHA	WEEL TWA (ppm)	10 ppm	
Hydrochloric	Hydrochloric acid (7647-01-0)		
USA ACGIH	ACGIH Ceiling (ppm)	2 ppm	
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen	
USA NIOSH	NIOSH REL (ceiling) (mg/m ³)	7 mg/m³	
USA NIOSH	NIOSH REL (ceiling) (ppm)	5 ppm	
USA IDLH	US IDLH (ppm)	50 ppm	
USA OSHA	OSHA PEL (Ceiling) (mg/m ³)	7 mg/m ³	
USA OSHA	OSHA PEL (Ceiling) (ppm)	5 ppm	
	_		

8.2. Exposure Controls

Personal Protective Equipment

Materials for Protective Clothing

Skin and Body Protection

Respiratory Protection

Appropriate Engineering Controls

- : Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.
- : Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.



: Clear, Colorless to pale yellow

- : Chemically resistant materials and fabrics.
- : Wear protective gloves.
- : Chemical safety goggles.
- : Wear suitable protective clothing.
- : If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State

Hand Protection

Eve Protection

: Liquid

: When using, do not eat, drink or smoke.

Appearance

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Odor	: No data available
Odor Threshold	: No data available
рН	: ~ 4.9
Evaporation Rate	: No data available
Melting Point	: No data available
Freezing Point	: No data available
Boiling Point	: No data available
Flash Point	: No data available
Auto-ignition Temperature	: No data available
Decomposition Temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor Pressure	: No data available
Relative Vapor Density at 20 °C	: No data available
Relative Density	: No data available
Solubility	: No data available
Partition Coefficient: N-Octanol/Water	: No data available
Viscosity	: No data available

9.2. Other Information No additional information available

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity: Hazardous reactions will not occur under normal conditions.

- 10.2. Chemical Stability: Stable under recommended handling and storage conditions (see section 7).
- 10.3. Possibility of Hazardous Reactions: Hazardous polymerization will not occur.
- **10.4.** Conditions to Avoid: Direct sunlight, extremely high or low temperatures, and incompatible materials.
- **10.5.** Incompatible Materials: Strong acids, strong bases, strong oxidizers.

10.6. Hazardous Decomposition Products: Aldehydes, alcohols, ethers, carbon oxides, carboxylic acids, polymer fragments.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information On Toxicological Effects

Acute Toxicity: Not classified

Benzoic acid, 4-hydroxy-, methyl ester (99-76-3)		
LD50 Oral Rat	2100 mg/kg	
Propyl 4-hydroxybenzoate (94-13-3)		
LD50 Oral Rat	> 5000 mg/kg	
Polyethylene glycol (25322-68-3)		
LD50 Oral Rat	47000 mg/kg	
LD50 Dermal Rabbit	> 20 ml/kg	
Dexamethasone (50-02-2)		
LD50 Oral Rat	> 3 g/kg	
Ethyl alcohol (64-17-5)		
LD50 Oral Rat	10470 mg/kg	
LD50 Dermal Rat	20 ml/kg	
LC50 Inhalation Rat	124.7 mg/l/4h	
LC50 Inhalation Rat	124.7 mg/l/4h	
Benzyl alcohol (100-51-6)		
LD50 Oral Rat	1230 mg/kg	
LD50 Dermal Rabbit	> 2000 mg/kg	
LC50 Inhalation Rat	> 4.178 mg/l/4h	
LC50 Inhalation Rat	8.9 mg/l/4h	
LC50 Inhalation Rat	> 5.4 mg/l/4h	

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hydrochloric acid (7647-01-0)	
LD50 Dermal Rabbit	> 5010 mg/kg
	> 5010 Hig/kg
Skin Corrosion/Irritation: Not classified	
Serious Eye Damage/Irritation: Not classifie	
	e allergy or asthma symptoms or breathing difficulties if inhaled. May cause an
allergic skin reaction.	
Germ Cell Mutagenicity: Not classified Carcinogenicity: Not classified	
Ethyl alcohol (64-17-5)	
IARC group	
OSHA Hazard Communication Carcinogen L	ist In OSHA Hazard Communication Carcinogen list.
Hydrochloric acid (7647-01-0)	
IARC group	3
Reproductive Toxicity: May damage fertility	
Specific Target Organ Toxicity (Single Expos	
Specific Target Organ Toxicity (Repeated Ex	posure): Not classified
Aspiration Hazard: Not classified	
	on of the respiratory tract and the other mucous membranes. Exposure may produce
-	th, chest tightness or other symptoms indicative of an allergic/sensitization reaction.
Symptoms/Injuries After Skin Contact: May	-
Symptoms/Injuries After Eye Contact: May	
Symptoms/Injuries After Ingestion: Ingestio	
Chronic Symptoms: May damage fertility or	
SECTION 12: ECOLOGICAL INFORMAT	ION
12.1. Toxicity	
Ecology - General :	Not classified.
Benzoic acid, 4-hydroxy-, methyl ester (99-7	76-3)
LC50 Fish 1	59.5 mg/l (Exposure time: 96 h - Species: Oryzias latipes)
EC50 Daphnia 1	11.2 mg/l
ErC50 (algae)	91 mg/l
NOEC chronic crustacea	0.2 mg/l (Species: Daphnia magna)
NOEC chronic algae	20 mg/l
Propyl 4-hydroxybenzoate (94-13-3)	
	4.1 (4.1 - 8.8) mg/l (Exposure time: 96 h - Species: Danio rerio)
EC50 Daphnia 1	7.97 (7.97 - 32.3) mg/l
NOEC chronic algae	2.1 mg/l
Ethyl alcohol (64-17-5)	
	9268 - 14221 mg/l (Exposure time: 48 h - Species: Daphnia magna)
	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
	1000 mg/l
Benzyl alcohol (100-51-6)	
	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
	23 mg/l (Exposure time: 48 h - Species: water flea)
	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
	770 mg/l
Hydrochloric acid (7647-01-0)	· · · · · · · · · · · · · · · · · · ·
	3.25 - 3.5 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)
	4.92 mg/l (Exposure time: 48 h - Species: Daphnia magna)
	T.22 mg/1 (Exposure time. 40 m - species, Dapinina magna)
12.2. Persistence and Degradability	

Dexamethasone SP Injection (Dexamethasone sodium phosphate Injection)Persistence and DegradabilityNot established.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Benzoic acid, 4-hydroxy-, methyl ester (99-76-3)		
Persistence and Degradability Readily biodegradable, according to appropriate OECD test.		
Ethyl alcohol (64-17-5)		
Persistence and Degradability Not established.		
12.3. Bioaccumulative Potential		
Dexamethasone SP Injection (Dexamethasone sodium phosphate Injection)		
Bioaccumulative Potential	tive Potential Not established.	
Benzoic acid, 4-hydroxy-, methyl ester (99-76-3)		
bioconcentration factor (BCF REACH) 6.4		
Log Pow	1.98	
Ethyl alcohol (64-17-5)		
Log Pow	-0.32	
Bioaccumulative Potential	Not established.	
Benzyl alcohol (100-51-6)		
Log Pow	1.1	
12.4 Mobility in Soil No additional information available		

Mobility in Soil No additional information available 12.4.

12.5. **Other Adverse Effects**

Other Information : Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, and international regulations.

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions.

Ecology - Waste Materials: Avoid release to the environment.

SECTION 14: TRANSPORT INFORMATION

- In Accordance with DOT 14.1. Not regulated for transport
- 14.2. In Accordance with IMDG Not regulated for transport
- 14.3. In Accordance with IATA Not regulated for transport

SECTION 15: REGULATORY INFORMATION

US Federal Regulations 15.1

Dexamethasone SP Injection (Dexamethasone sodium phosphate Injection)		
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard	
	Delayed (chronic) health hazard	
Benzoic acid, 4-hydroxy-, methyl ester (99-76-3)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Propyl 4-hydroxybenzoate (94-13-3)		
Listed on the United States TSCA (Toxic Substance	es Control Act) inventory	
Polyethylene glycol (25322-68-3)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Dexamethasone (50-02-2)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Water (7732-18-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Ethyl alcohol (64-17-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Benzyl alcohol (100-51-6)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Hydrochloric acid (7647-01-0)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Listed on the United States SARA Section 302		
Subject to reporting requirements of United States SARA Section 313		
11/12/2015 EN (Er	inglish US)	7/9

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SARA Section 302 Threshold Planning Quantity (TPQ)	500 (gas only)
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
SARA Section 313 - Emission Reporting	1.0 % (acid aerosols including mists, vapors, gas, fog, and other
	airborne forms of any particle size)

15.2 US State Regulations

Ethyl alcohol (64-17-5)	
U.S California - Proposition 65 - Carcinogens List	WARNING: This product contains chemicals known to the State of
	California to cause cancer. Ethyl Alcohol is included on the Proposition
	65 list when it is used in alcoholic beverages.
U.S California - Proposition 65 - Developmental	WARNING: This product contains chemicals known to the State of
Toxicity	California to cause birth defects. Ethyl Alcohol is included on the
	Proposition 65 list when it is used in alcoholic beverages.

Ethyl alcohol (64-17-5) U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

Benzyl alcohol (100-51-6)

U.S. - Massachusetts - Right To Know List

U.S. - Pennsylvania - RTK (Right to Know) List

Hydrochloric acid (7647-01-0)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision Date

Other Information

: 11/12/2015

: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

Acute toxicity (inhalation:vapor) Category 4
Acute toxicity (oral) Category 4
Hazardous to the aquatic environment - Acute Hazard Category 2
Hazardous to the aquatic environment - Chronic Hazard Category 3
Combustible Dust
Serious eye damage/eye irritation Category 1
Serious eye damage/eye irritation Category 2A
Flammable liquids Category 2
Flammable liquids Category 4
Corrosive to metals Category 1
Reproductive toxicity Category 1B
Respiratory sensitisation Category 1
Respiratory sensitisation Category 1A
Skin corrosion/irritation Category 1B
Skin corrosion/irritation Category 2
Skin sensitization Category 1
Skin sensitization Category 1A
Specific target organ toxicity (single exposure) Category 3
Highly flammable liquid and vapor
Combustible liquid
May form combustible dust concentrations in air

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H290	May be corrosive to metals
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335	May cause respiratory irritation
H360	May damage fertility or the unborn child
H401	Toxic to aquatic life
H412	Harmful to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

SDS US (GHS HazCom)