

Safety Data Sheet

SECTION 1: Identification			
1.1. Identification			
Product name :	DOUXO S3 SEB SHAMPOO		
1.2. Relevant identified uses of the substan	ce or mixture and uses advised ag	ainst	
	Veterinary hygiene product		
1.3. Details of the supplier of the safety data	a sheet		
Ceva Animal Health, LLC			
8735 Rosehill Road, Suite 300			
Lenexa, KS 66215			
1.4. Emergency telephone number			
0, 1	Chemtrec 1 800 424 9300		
SECTION 2: Hazard(s) identification			
2.1. Classification of the substance or mixtu	ure		
GHS US classification			
Eye Irrit. 2 H319			
Full text of hazard classes and H-statements : see s	ection 16		
2.2. Label elements			
GHS US labeling			
	GHS07		
Signal word (GHS US) :	Warning		
	H319 - Causes serious eye irritation		
	P264 - Wash hands, forearms and fa P280 - Wear protective gloves/protec P305+P351+P338 - IF IN EYES: Rin contact lenses, if present and easy to P337+P313 - If eye irritation persists	ctive clothing/eye protects se cautiously with wate do. Continue rinsing.	ction/face protection. r for several minutes. Remove
2.3. Other hazards			
No additional information available			
2.4. Unknown acute toxicity (GHS US)			
Not applicable			
SECTION 3: Composition/Information of	on ingredients		
3.1. Substances			
Not applicable			
3.2. Mixtures			
Name	Product identifier	%	GHS US classification
Propanaminium, N-(3-aminopropyl)-2-hydroxy-N,N-dimeth sulfo-, N-coco acyl derivatives, hydroxides, inner salts	nyl-3- (CAS-No.) 68139-30-0	5 – 10	Eye Irrit. 2, H319
Sodium 2-(dodecanoyloxy)propane-1-sulfonate	(CAS-No.) 156572-81-5	5 – 10	Eye Irrit. 2, H319
Ethanesulfonic acid, 2-(methylamino)-, N-coco acyl derivatives, sodium salts	(CAS-No.) 61791-42-2	5 – 10	Eye Dam. 1, H318
Glycerin	(CAS-No.) 56-81-5	5 – 10	Not classified

Poly(oxy-1,2-ethanediyl), .alpha.-(3-carboxy-1-oxosulfopropyl)-.omega.-hydroxy-, C10-16-alkyl ethers, disodium salts

Guar gum, 2-hydroxy-3-(trimethylammonio)propyl ether, chloride

(CAS-No.) 68815-56-5

(CAS-No.) 65497-29-2

Skin Irrit. 2, H315 Eye Irrit. 2, H319

Not classified

1 – 5

0.1 – 0.5

Safety Data Sheet

Name	Product identifier	%	GHS US classification
Sodium hydroxide	(CAS-No.) 1310-73-2	≤ 0.1	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318
Full text of hazard classes and H-statements	: see section 16	·	
SECTION 4: First aid measures			
4.1. Description of first aid measures	<b>3</b>		
First-aid measures after inhalation	: If you feel unwell, seek medical advic	ce.	
First-aid measures after skin contact	: Wash with soapy water. If skin irritati	on or rash occurs: G	et medical advice/attention.
First-aid measures after eye contact	Remove contact lenses, if present and easy to do. Continue rinsing. Consult an eye specialist.		
First-aid measures after ingestion	,		iting. Get medical advice and not available show packaging or label.
4.2. Most important symptoms and e			
Symptoms/effects after inhalation	: None under normal use.		
Symptoms/effects after skin contact	: May cause moderate irritation.		
Symptoms/effects after eye contact	: Eye irritation.		
Symptoms/effects after ingestion	: May be harmful if swallowed.		
	lical attention and special treatment need	ed	
No additional information available			
SECTION 5: Firefighting measure	S		
5.1. Extinguishing media			
Suitable extinguishing media	: All extinguishing agents can be used		
Unsuitable extinguishing media	: None.		
5.2. Special hazards arising from the	substance or mixture		
Fire hazard	: None known.		
Explosion hazard	: None known.		
5.3. Advice for firefighters			
Firefighting instructions	: Cool down the containers exposed to	heat with a water sp	oray. Contain the extinguishing fluids
Protection during firefighting	by bunding. Do not attempt to take action without apparatus. Complete protective cloth		quipment. Self-contained breathing
SECTION 6: Accidental release m	easures		
	equipment and emergency procedures		
	The second s		
6.1.1. For non-emergency personnel			
Avoid contact with skin and eyes.			
6.1.2. For emergency responders			
•	protective equipment. For further informatio	in refer to section 8: "	Exposure controls/personal protection
6.2. Environmental precautions			
Avoid release to the environment. Prevent er	ntry to sewers and public waters.		
6.3. Methods and material for contain			
For containment	: Stop the flow of material, if this is with		
Methods for cleaning up	: Confine spill and soak up with absorb accordance with local, state and fede		roved container and dispose in
6.4. Reference to other sections			
No additional information available			
SECTION 7: Handling and storage	9		
7.1. Precautions for safe handling			
Precautions for safe handling	: Ensure good ventilation of the work s	tation. Avoid contact	with skin and eyes.
Hygiene measures	: Do not drink, eat or smoke in the wor soap and water before eating, drinkir clothing before reuse.		and other exposed areas with mild nen leaving work. Wash contaminated

Safety Data Sheet

7.2.	Conditions for s	e storage, including any incompatibilities
Storage	conditions	: Keep container tightly closed. Keep away from heat. Keep out of the reach of children. I from freezing.

# SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

Propanaminium, N-(3-aminopropyl)-2-hydroxy-N,N-dimethyl-3-sulfo-, N-coco acyl derivatives, hydroxides, inner salts (68139-30-0) Not applicable

## Sodium 2-(dodecanoyloxy)propane-1-sulfonate (156572-81-5)

Not applicable

Ethanesulfonic acid, 2-(methylamino)-, N-coco acyl derivatives, sodium salts (61791-42-2) Not applicable

Poly(oxy-1,2-ethanediyl), .alpha.-(3-carboxy-1-oxosulfopropyl)-.omega.-hydroxy-, C10-16-alkyl ethers, disodium salts (68815-56-5) Not applicable

# Guar gum, 2-hydroxy-3-(trimethylammonio)propyl ether, chloride (65497-29-2)

Not applicable

Sodium hydroxide (1310-73-2)			
ACGIH	ACGIH Ceiling (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>	
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>	
IDLH	US IDLH (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>	
NIOSH	NIOSH REL (ceiling) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>	
Glycerin (56-81-5)			
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	15 mg/m <sup>3</sup> (mist, total particulate) 5 mg/m <sup>3</sup> (mist, respirable fraction)	

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station.
Hand protection	: Protective gloves.
Eye protection	: Wear safety glasses when handling large quantities of product.
Skin and body protection	: Wear suitable working clothes.
Respiratory protection	: None required under normal product handling conditions.

# SECTION 9: Physical and chemical properties9.1.Information on basic physical and chemical propertiesPhysical state: LiquidAppearance: Thick liquid.Color: Pearly whiteOdor: CharacteristicOdor threshold: No data available

pН	: 5 – 5.5
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Specific gravity / density	: 1.052 – 1.062

Protect

Safety Data Sheet

Solubility	: Water: Soluble
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: No data available

#### 9.2. Other information

No additional information available

SECTION 10: Stability and reactivity			
10.1.	Reactivity		
To our l	knowledge, the product does not present any particular risk, under normal conditions of use.		
10.2.	Chemical stability		
The pro	oduct is stable at normal handling and storage conditions.		
10.3.	Possibility of hazardous reactions		
None u	nder normal use.		
10.4.	Conditions to avoid		
Heat. P	Protect from freezing.		
10.5.	Incompatible materials		
Strong	acids. Strong bases. Oxidation agents.		
10.6.	Hazardous decomposition products		
Under r	normal conditions of storage and use, hazardous decomposition products should not be produced.		

## **SECTION 11: Toxicological information**

11.1. Information on toxicological effects

Acute toxicity

: Not classified

Guar gum, 2-hydroxy-3-(trimethylammonio)propyl ether, chloride (65497-29-2)		
LD50 oral rat	12500 mg/kg	
ATE US (oral)	12500 mg/kg body weight	
Sodium hydroxide (1310-73-2)		
LD50 oral rat	140 – 340 mg/kg	
LD50 dermal rabbit	1350 mg/kg	
ATE US (dermal)	1350 mg/kg	
Glycerin (56-81-5)		
LD50 oral rat	12600 mg/kg	
LD50 dermal rabbit	> 10 g/kg	
LC50 inhalation rat (mg/l)	> 570 mg/m <sup>3</sup> (Exposure time: 1 h)	
ATE US (oral)	12600 mg/kg	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	

Safety Data Sheet

STOT-repeated exposure

: Not classified

Aspiration hazard

: Not classified

SECTION 12: Ecological information	

12.1. Toxicity

Sodium hydroxide (1310-73-2)		
LC50 fish 1 45.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])		
Glycerin (56-81-5)		
LC50 fish 1	51 – 57 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])	
12.2 Persistence and degradability		

#### 12.2. Persistence and degradability

No additional information available

## 12.3. Bioaccumulative potential

Glycerin (56-81-5)	
BCF fish 1	(no bioaccumulation)
Partition coefficient n-octanol/water (Log Pow)	-1.76

## 12.4. Mobility in soil

No additional information available

## 12.5. Other adverse effects

No additional information available

13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Dispose of contents/container in accordance with local/regional/national/international regulations.
SECTION 14: Transport information	
Department of Transportation (DOT)	
In accordance with DOT	
Not applicable	
SECTION 15: Regulatory information	1
15.1. US Federal regulations	

Listed on the United States TCCA	(Tavia Subatanaga Cantral Act) inventory
Listed on the United States ISCA	(Toxic Substances Control Act) inventory

Ethanesulfonic acid, 2-(methylamino)-, N-coco acyl derivatives, sodium salts (61791-42-2)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Poly(oxy-1,2-ethanediyl), .alpha(3-carboxy-1-oxosulfopropyl)omegahydroxy-, C10-16-alkyl ethers, disodium salts (68815-56-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).	
Guar gum, 2-hydroxy-3-(trimethylammonio)propyl ether, chloride (65497-29-2)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).	

Safety Data Sheet

Sodium hydroxide (1310-73-2)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
CERCLA RQ	1000 lb	
Glycerin (56-81-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		

15.2. US State regulations

## Sodium hydroxide (1310-73-2)

U.S. - Massachusetts - Right To Know List

- U.S. Minnesota Hazardous Substance List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

#### Glycerin (56-81-5)

- U.S. Massachusetts Right To Know List
- U.S. Minnesota Hazardous Substance List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

## **SECTION 16: Other information**

Full text of H-phrases:

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Met. Corr. 1	Corrosive to metals Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
Skin Irrit. 2	Skin corrosion/irritation Category 2
H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.