



Revision date: 03-Jan-2017 Version: 1.0 Page 1 of 7

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: Atracurium Besylate Injection (Hospira Inc.)

Trade Name: Atracurium Besylate Injection

Chemical Family: Not determined

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Pharmaceutical product

Details of the Supplier of the Safety Data Sheet

Hospira, A Pfizer Company 275 North Field Drive Lake Forest, Illinois 60045

1-800-879-3477

Hospira UK Limited

Horizon Honey Lane Hurley

Maidenhead, SL6 6RJ United Kingdom

Emergency telephone number:

International CHEMTREC (24 hours): +1-703-527-3887

Emergency telephone number: CHEMTREC (24 hours): 1-800-424-9300

CHEMTREC (24 hours): 1-800-424-9300 Contact E-Mail: pfizer-MSDS@pfizer.com

2. HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS - Classification Not classified as hazardous

Label Elements

Signal Word: Not Classified

Hazard Statements: Not classified in accordance with international standards for workplace safety.

Other Hazards An Occupational Exposure Value has been established for one or more of the ingredients (see

Section 8).

Note: This document has been prepared in accordance with standards for workplace safety, which

requires the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warning included may not apply in all cases.

Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous

Material Name: Atracurium Besylate Injection (Hospira Inc.)

Revision date: 03-Jan-2017 Version: 1.0

3. COMPOSITION / INFORMATION ON INGREDIENTS						
Ingredient	CAS Number	EU EINECS/ELINCS	GHS Classification	%		
		List				
Atracurium Besylate	64228-81-5	264-743-4	Acute Tox 3 (H301)Tox 2 (H310)	1		
Benzenesulfonic acid	98-11-3	202-638-7	Skin Corr 1C (H314)Dam 1	**		
			(H318)			

Ingredient	CAS Number	EU	GHS Classification	%
		EINECS/ELINCS		
		List		
Water for Injection	7732-18-5	231-791-2	Not Listed	*

Additional Information: * Proprietary

** to adjust pH

Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety. In accordance with 29 CFR 1910.1200, the exact percentage composition of this

Page 2 of 7

mixture has been withheld as a trade secret.

For the full text of the CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures

Eye Contact: Rinse thoroughly with plenty of water, also under the eyelids. If irritation occurs or persists, get

medical attention.

Skin Contact: Wash off immediately with soap and plenty of water If skin irritation persists, call a physician.

Ingestion: Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not

induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of For information on potential signs and symptoms of exposure, See Section 2 - Hazards

Exposure: Identification and/or Section 11 - Toxicological Information.

Medical Conditions None known

Aggravated by Exposure:

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician: None

5. FIRE FIGHTING MEASURES

Extinguishing Media: As for primary cause of fire.

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion Formation of toxic gases is possible during heating or fire.

Products:

Fire / Explosion Hazards: Not applicable

Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

Page 3 of 7

Material Name: Atracurium Besylate Injection (Hospira Inc.)

Revision date: 03-Jan-2017 Version: 1.0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spill Measures for Cleaning /

area thoroughly. Collecting:

Additional Consideration for Non-essential personnel should be evacuated from affected area. Report emergency

Large Spills: situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. When handling, use appropriate personal protective equipment (see Section 8). Wash thoroughly after handling. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls.

Conditions for Safe Storage, Including any Incompatibilities

Store as directed by product packaging. Storage Conditions:

Incompatible Materials: None known

Specific end use(s): Pharmaceutical drug product

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

The purpose of the Occupational Exposure Band (OEB) classification system is to separate substances into different Hazard categories when the available data are sufficient to do so, but inadequate to establish an Occupational Exposure Limit (OEL). The OEB given is based upon an analysis of all currently available data; as such, this value may be subject to revision when new information becomes available.

Atracurium Besylate

Pfizer Occupational Exposure OEB 3 (control exposure to the range of 10ug/m³ to < 100ug/m³)

Band (OEB):

Exposure Controls

Engineering Controls: Engineering controls should be used as the primary means to control exposures. General

room ventilation is adequate unless the process generates dust, mist or fumes. Keep airborne

contamination levels below the exposure limits listed above in this section.

Personal Protective

Refer to applicable national standards and regulations in the selection and use of personal protective equipment (PPE).

Equipment:

Hands: Impervious gloves (e.g. Nitrile, etc.) are recommended if skin contact with drug product is

possible and for bulk processing operations. (Protective gloves must meet the standards in

accordance with EN374, ASTM F1001 or international equivalent.)

Eyes: Wear safety glasses or goggles if eye contact is possible. (Eye protection must meet the

standards in accordance with EN166, ANSI Z87.1 or international equivalent.)

Material Name: Atracurium Besylate Injection (Hospira Inc.)

Revision date: 03-Jan-2017

Version: 1.0

Revision date: 05-5an-2017

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Skin: Impervious protective clothing is recommended if skin contact with drug product is possible and

for bulk processing operations. (Protective clothing must meet the standards in accordance

with EN13982, ANSI 103 or international equivalent.)

Respiratory protection: Under normal conditions of use, if the applicable Occupational Exposure Limit (OEL) is

exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL (e.g. particulate respirator with a half mask, P3 filter). (Respirators must meet the standards in accordance with EN140, EN143, ASTM F2704-10 or international

equivalent.)

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Color: Colorless to light yellow

Odor: No data available. Odor Threshold: No data available.

Molecular Formula: Mixture Molecular Weight: Mixture

Solvent Solubility: No data available

Water Solubility: Soluble pH: Soluble 3.25 – 3.65

Melting/Freezing Point (°C):

No data available

Boiling Point (°C):

No data available.

Partition Coefficient: (Method, pH, Endpoint, Value)

Water for Injection
No data available
Benzenesulfonic acid
No data available
Atracurium Besylate

No data available

Decomposition Temperature (°C): No data available.

Evaporation Rate (Gram/s):

Vapor Pressure (kPa):

Vapor Density (g/ml):

Relative Density:

No data available

Flammablity:

Autoignition Temperature (Solid) (°C):No data availableFlammability (Solids):No data availableFlash Point (Liquid) (°C):No data availableUpper Explosive Limits (Liquid) (% by Vol.):No data availableLower Explosive Limits (Liquid) (% by Vol.):No data available

10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: Stable under normal conditions of use.

Possibility of Hazardous Reactions

Oxidizing Properties: None
Conditions to Avoid: None known
Incompatible Materials: None known

Hazardous Decomposition Thermal decomposition products may include carbon monoxide and carbon dioxide, oxides of

Products: nitrogen .

Material Name: Atracurium Besylate Injection (Hospira Inc.)

Revision date: 03-Jan-2017 Version: 1.0

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information: The information included in this section describes the potential hazards of the individual

ingredients.

Known Clinical Effects: The most common adverse effects seen during clinical use of this drug include decrease in

blood pressure (hypotension), irregular heartbeat (cardiac arrhythmia), wheezing, skin rash, shortness of breath (dyspnea), musculoskeletal system weakness, paralysis, respiratory

Page 5 of 7

depression, respiratory arrest.

Acute Toxicity: (Species, Route, End Point, Dose)

Benzenesulfonic acid

Rat Oral LD50 > 1104 mg/kg

Atracurium Besylate

Rat Oral LD50 >50 - <500 mg/kg

Rat IV LD50 131mg/kg

Rabbit Dermal LD50 200mg/kg Rat Dermal LD50 > 2000mg/kg

Acute Toxicity Comments: A greater than symbol (>) indicates that the toxicity endpoint being tested was not achievable

at the highest dose used in the test.

Irritation / Sensitization: (Study Type, Species, Severity)

Benzenesulfonic acid

Skin Irritation Rabbit Corrosive Eye Irritation Rabbit Corrosive

Reproduction & Development Toxicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Atracurium Besylate

Embryo / Fetal Development Rabbit Subcutaneous0.15 mg/kg/day LOEL Maternal toxicity, Fetotoxicity, Teratogenic

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Atracurium Besylate

Bacterial Mutagenicity (Ames) Negative
Cytogenetics Rat Bone Marrow Negative
In Vivo Micronucleus Mouse Negative
In Vitro Mouse Lymphoma Positive

Carcinogen Status: None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Environmental Overview: Environmental properties have not been thoroughly investigated. Releases to the environment

should be avoided.

Toxicity:

Aquatic Toxicity: (Species, Method, End Point, Duration, Result)

Material Name: Atracurium Besylate Injection (Hospira Inc.)

Revision date: 03-Jan-2017 Version: 1.0

Persistence and Degradability: No data available

Bio-accumulative Potential: No data available

Mobility in Soil: No data available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Dispose of waste in accordance with all applicable laws and regulations. Member State

specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental

Page 6 of 7

releases. This may include destructive techniques for waste and wastewater.

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Water for Injection

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

REACH - Annex IV - Exemptions from the

Not Listed

Not Exemption from the

obligations of Register:

EU EINECS/ELINCS List 231-791-2

Atracurium Besylate

CERCLA/SARA 313 Emission reporting

California Proposition 65

Not Listed

Not Listed

Standard for the Uniform Scheduling

Schedule 4

for Drugs and Poisons:

EU EINECS/ELINCS List 264-743-4

Material Name: Atracurium Besylate Injection (Hospira Inc.)

Revision date: 03-Jan-2017

Version: 1.0

Version date: 00 can 2011

15. REGULATORY INFORMATION

Benzenesulfonic acid

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

Present

Present

202-638-7

16. OTHER INFORMATION

Text of CLP/GHS Classification abbreviations mentioned in Section 3

Acute toxicity, oral-Cat.3; H301 - Toxic if swallowed
Acute toxicity, dermal-Cat.2; H310 - Fatal in contact with skin
Skin corrosion/irritation-Cat.1C; H314 - Causes severe skin burns and eye damage
Serious eye damage/eye irritation-Cat.1; H318 - Causes serious eye damage

Data Sources: Pfizer proprietary drug development information. Publicly available toxicity information.

Revision date: 03-Jan-2017

Product Stewardship Hazard Communication

Prepared by: Pfizer Global Environment, Health, and Safety Operations

Pfizer Inc believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet
